

35.20 M / 115'48"



CARACTÉRISTIQUES PRINCIPALES

Builder	Sunseeker International
Built Year	2017
Length	35.20 M / 115'48"
Beam	7.33 M / 24'5"
Draft	2.39 M / 7'83"
Displacement	140.00 tonnes
Registry	Malte

10,500,000 EUR 10,894,380 USD*

* Conversion approximative

🏠 Adresse:

3 Rue de la Loge L-1945 Luxembourg

📞 Contact

Thomas Peltier • P: +352.27.40.99.90 • M: +352.621.326.323

✉ E-mail:

t.peltier@seastemia.com

35.20 M / 115'48"

SPÉCIFICATIONS

DÉTAILS DU BATEAU

Boat Status	Brokerage	Built Year	2017
Registry	Malte		

CERTIFICATION

Certification	RINA	Compliance	MCA Compliant
----------------------	------	-------------------	---------------

BUILDER / DESIGNER

Builder	Sunseeker International	Hull Type	Planning Hull
----------------	-------------------------	------------------	---------------

DIMENSIONS

Length	35.20 M / 115'48"	Beam	7.33 M / 24'5"
Draft	2.39 M / 7'83"	Displacement	140.00 tonnes

MACHINERY

Engine Maker	MTU	Drive	Shaft
---------------------	-----	--------------	-------

35.20 M / 115'48"

MACHINERY

Number of Engines	2	Propulsion Mode	Diesel
Engine(s) power	2,600.00 hp	Engine(s) model	MTU 16V 2000 M96L
Heures moteur 1	1,000.00 H.	Heures moteur 2	1,000.00 H.
Main Generator Maker	KOHLER	Main Generator Power	70.00 KW
Main Generator Hours	1,661.00 H.	Auxiliary Generator Maker	KOHLER
Auxiliary Generator Power	70.00 KW	Auxiliary Generator Hours	1,681.00 H.
Stabilizer Type	Hydraulic Thins	AC type	Tropical specification

PERFORMANCES

Cruising Speed	19.00 noeuds	Max Speed	25.00 noeuds
-----------------------	--------------	------------------	--------------

TANKAGES

Fuel	19,590.00 litres / 5,171.76 US gals	Water	4,000.00 litres / 1,056.00 US gals
Grey Water	1,225.00 litres / 323.40 US gals	Black Water	1,340.00 litres / 353.76 US gals

35.20 M / 115'48"

ACCOMODATIONS

Sleeps	10 guests	Courette	4 simple, 3 double
Bathroom	5	Crew	5
Crew Berths	5		

35.20 M / 115'48"



35.20 M / 115'48"



35.20 M / 115'48"




35.20 M / 115'48"



35.20 M / 115'48"



35.20 M / 115'48"



35.20 M / 115'48"



35.20 M / 115'48"



35.20 M / 115'48"



35.20 M / 115'48"



35.20 M / 115'48"



35.20 M / 115'48"



35.20 M / 115'48"



35.20 M / 115'48"



35.20 M / 115'48"



35.20 M / 115'48"



35.20 M / 115'48"



35.20 M / 115'48"



35.20 M / 115'48"



35.20 M / 115'48"



35.20 M / 115'48"

