

20.50 M / 67'26"



## CARACTÉRISTIQUES PRINCIPALES

<b>Builder</b>	Sunseeker International
<b>Built Year</b>	2022
<b>Length</b>	20.50 M / 67'26"
<b>Beam</b>	5.10 M / 16'73"
<b>Draft</b>	1.60 M / 5'25"
<b>Displacement</b>	37.81 tonnes
<b>Registry</b>	Luxembourg

**2,150,000 EUR** 2,517,181 USD\*

\* Conversion approximative

🏠 Adresse:

3 Rue de la Loge L-1945 Luxembourg

📞 Contact

Thomas Peltier • P: +352.27.40.99.90 • M: +352.621.326.323

✉ E-mail:

t.peltier@seastemia.com

20.50 M / 67'26"

## SPÉCIFICATIONS

## DÉTAILS DU BATEAU

<b>Main Category</b>	Motor yacht	<b>Boat Status</b>	Brokerage
<b>Built Year</b>	2022	<b>Registry</b>	Luxembourg

## BUILDER / DESIGNER

<b>Builder</b>	Sunseeker International	<b>Model</b>	Predator 65
<b>Hull Type</b>	Planning Hull		

## DIMENSIONS

<b>Length</b>	20.50 M / 67'26"	<b>Beam</b>	5.10 M / 16'73"
<b>Draft</b>	1.60 M / 5'25"	<b>Displacement</b>	37.81 tonnes

## MACHINERY

<b>Engine Maker</b>	Volvo	<b>Drive</b>	Pod Drive
<b>Number of Engines</b>	2	<b>Propulsion Mode</b>	Diesel

20.50 M / 67'26"

## MACHINERY

<b>Engine(s) power</b>	1,000.00 hp	<b>Engine(s) model</b>	IPS 1350
<b>Heures moteur 1</b>	300.00 H.	<b>Heures moteur 2</b>	300.00 H.
<b>Main Generator Maker</b>	ONAN	<b>Main Generator Power</b>	17.50 KW
<b>Main Generator Hours</b>	150.00 H.	<b>Stabilizer Type</b>	Gyroscopic
<b>Stabilizer Maker</b>	SEA KEAPER	<b>Water Maker</b>	IDROMAR
<b>Water Maker Flow</b>	120.00 l/H / 31.68 gal/H	<b>AC type</b>	TROPICAL

## PERFORMANCES

<b>Cruising Speed</b>	28.00 noeuds	<b>Max Speed</b>	35.00 noeuds
<b>Range</b>	750.00 NM	<b>Cruising Speed for Range</b>	10.00 noeuds

## TANKAGES

<b>Fuel</b>	3,500.00 litres / 924.00 US gals	<b>Water</b>	800.00 litres / 211.20 US gals
<b>Black Water</b>	200.00 litres / 52.80 US gals		

20.50 M / 67'26"




20.50 M / 67'26"




20.50 M / 67'26"



20.50 M / 67'26"




20.50 M / 67'26"



20.50 M / 67'26"



20.50 M / 67'26"



20.50 M / 67'26"



20.50 M / 67'26"



20.50 M / 67'26"



20.50 M / 67'26"



20.50 M / 67'26"



20.50 M / 67'26"



20.50 M / 67'26"



20.50 M / 67'26"

